

Applicant Name:					
Applicant Phone Number:					
Applicant Email:					
Site Address:					
Assessor's Parcel Number:					
A	B	C	D	E	F
Fixture Type	Fixture Value	Primary Home	ADU or JADU	Total	
	Fixed	Number of Fixtures	Number of Fixtures	Column C + Column D Fixtures	Column E x Column B Fixture Units
Typical Indoor					
Standard Stand Alone Bathtub	4.0				
Stand Alone Showerhead	2.0				
Bathtub/Shower Combination	4.0				
Bidet	1.0				
Clothes Washer	4.0				
Dishwasher	1.5				
Refrigerator w/ water hook-up	0.5				
Bar Faucet	1.5				
Kitchen Faucet	1.5				
Laundry Faucet	1.5				
Lavatory (Bathroom Faucet)	1.0				
Flushometer Valve Toilet	5.0				
Flushometer Valve Urinal	4.0				
Pressure Assist Toilet	2.5				
Gravity Toilet	2.5				
Hydronic (Radiant) System	1.0				
Subtotal Indoor					
Typical Outdoor					
First Hose Bib	2.5				
Each Additional Hose Bib	1.0				
Each Irrigation Spray Head	0.0				
Number of Irrigation Valves	1.0				
Hot Tub/Spa	5.0				
Pool	10.0				
Subtotal Outdoor					
Total Indoor and Outdoor					

Water Efficiency Checklist | Ordinance 2018-01

Square Footage of Parcel:

Square Footage of Total Landscaped Area:

Square Footage of Total Irrigated Landscaped Area:

	Residential	Non-Residential	Unit of Measurement
Toilets	≤ 1.28	≤ 1.28	gallons per flush
	≥ 350	≥ 350	grams per flush
Showerheads	≤ 1.8	≤ 1.8	gallons per minute
Bathroom Faucets	≤ 1.2	≤ 0.5	gallons per minute
Kitchen Faucets	≤ 1.8	≤ 1.8	gallons per minute
Utility Faucets	≤ 1.8	≤ 1.8	gallons per minute
Urinals	≤ 0.125	≤ 0.125	gallons per flush
Metering Faucets	≤ 0.25	≤ 0.25	gallons per cycle
Cooling Towers	≥ 5	≥ 5	cycles of concentration
	or	or	or
	≥ 2.5	≥ 2.5	Langlier Saturation Index
Commercial Food Steamers	Boilerless or Self-Contained	Boilerless or Self-Contained	
Commercial Ice Machines	≤ 25 Air-cooled	≤ 25 Air-cooled	gallons/100 lbs ice
Commercial Pre-Rinse Spray Valves	≤ 1.28	≤ 1.28	gallons per minute
Irrigation Primary Control Valve	Customers should have the ability to turn off water feeding their irrigation system without using the water meter's angle stop or the primary house valve.		
Commercial Refrigeration and Cooling (Ordinance 2008-01)	Closed loop (recirculated) or air-cooled.		
Commercial Automatic Vehicle Wash Facilities (Ordinance 2008-01)	Water is recycled on site through a filter system.		
Water Features (Ordinance 2008-01)	Water shall be re-circulated		
Master Service Control Valve (General Regulations Regarding Water Service)	Customers must have the ability to turn off water to the interior of their structures without using the water meter's angle stop.		
Pressure Regulating Valve (General Regulations Regarding Water Service)	When the static pressure in the distribution system feeding the water service is ≥ 80 psi. This does not apply to fire services.		
Dedicated Irrigation Meter (Ordinance 2018-01)	When irrigated landscaped area equals or exceeds 5,000 square feet.		

Applicant Name (Print)	Signature of Applicant	Date
-------------------------------	-------------------------------	-------------

Applicant Mailing Address:	