



Coastside County Water District

Water Quality Report

Coastside County Water District (District) is pleased to present the 2021 Annual Water Quality Report in accordance with state and federal regulations. The data presented are from sampling and testing done in accordance with Safe Drinking Water Act regulations.

The treated drinking water delivered to your home or business met all drinking water quality standards set by the state and federal governments.

This report contains important information about your drinking water. Translate it, or speak with someone who understands it.

Este informe contiene información muy importante sobre su agua para beber. Tradúzcalo o hable con alguien que lo entienda bien. Si le gustarîa recibir una copia de este reporte en Español, favor de llamar al Coastside County Water District, y le enviaremos una copia por correo.


Where Your Water Comes From

The District receives water originating from pristine and highly protected watersheds in California's Sierra Nevada Mountain Range and San Mateo County's Coastal Mountain Range.

The District owns and operates the Denniston Project (surface and groundwater) and the Pilarcitos Creek Infiltration Well Field, both of which receive water originating from the local coastal range.


The District purchases raw water from the San Francisco Public Utilities Commission (SFPUC). Raw water from SFPUC originates from Pilarcitos Reservoir, which is supplied by local runoff from the coastal range, and from Upper Crystal Springs Reservoir, which is supplied by imported water from SFPUC's Regional Water System, including the Hetch-Hetchy watershed.

Water delivered to District customers receives full treatment at our two water treatment facilities in accordance with federal and state standards. The Nunes Water Treatment Plant is capable of treating up to 4.5 million gallons per day (mgd) of water from Pilarcitos Reservoir, infiltration wells in Pilarcitos Creek Canyon and Upper Crystal Springs Reservoir. The Denniston Water Treatment Plant treats up to 1.4 mgd of water from Denniston Creek and Denniston Well Field.



Coastside County Water District does not fluoridate its drinking water. For information about fluoridation, go to waterboards.ca.gov/drinking water/certlic/drinkingwater/fluoridation.html

District Water Sources for Calendar Year 2021



Source Water Assessment -**Watershed Sanitary Survey**

The District completed a source water assessment in 2016 for the San Vicente Creek and the Denniston Creek watersheds. The Upper Pilarcitos Creek watershed and Upper Crystal Springs Reservoir watershed source water assessments were completed by SFPUC. The assessments are available for review at the Division of Drinking Water (DDW) - San Francisco District Office.

DDW-San Francisco District ► (510) 620-3474



Conserving Water Around the House and Yard

Implementing changes in our daily water use can make a big impact toward ensuring we have enough water supply to meet current and future needs. We all need to do our part to conserve water and use it as efficiently as possible. Here are ways you can do your part to save water:

- Consider replacing your lawn with water wise plants, and add hardscaping elements to your yard, like pavers, decomposed granite, or bark, to create year-round spaces that eliminate the need to weed, mow, and irrigate regularly.
- Install drip irrigation, which can save 15 gallons each time you water.
- Adjust sprinkler heads to make sure your sprinklers water the plants, not your driveway.

Let's make every drop count!



Wash Full Loads of Clothes & Dishes

Washer: saves 15-45 gallons per load Dishwasher: saves 5-15 gallons per load



Install a High-**Efficiency Toilet**

Saves 19 gallons per person/day



Fix Leaks

Even a small leak can waste up to 6,300 gallons of water per month!

- Use mulch to help the soil retain more moisture.
- · Use a broom instead of a hose to clean outdoor areas and save up to six gallons of water every minute.
- · Instead of letting cold water go down the drain, place a bucket under the showerhead while you wait for the water to warm up, then use it to water your outdoor garden.
- Reduce your shower time to five minutes or less to save up to 12.5 gallons of water.

More information ▶ https://coastsidewater.org/save-water



Adjust Sprinkler Heads

Saves 12-15 gallons each time you water



Use Mulch

Saves 20-30 gallons per 1000 sq. ft. each time



Drought Resistant Trees & Plants

Saves 30-60 gallons per 1000 sq. ft. each time

Water Reuse: Transforming Water, **Sustaining Our Future**

Communities across the country are incorporating water reuse into their water management strategies as a proven method for ensuring a safe, reliable, locally controlled water supply—essential for livable communities with healthy environments, robust economies, and a high quality of life. By 2027, the volume of recycled water produced in the United States is projected to increase 37% from 4.8 billion gallons per day to 6.6 billion gallons per day, according to a recent survey by Bluefield Research.

Water Reuse Association | www.watereuse.org

Service Area Map

District service areas (in green) include the City of Half Moon Bay and unincorporated areas of San Mateo County including: Moonridge, El Granada, Miramar and Princeton by the Sea.



2021

Water Quality Test Results

The Annual Water Quality Report contains water quality data tables that show the results of treated water from the Nunes and Denniston Water Treatment Plants as well as the distribution system. In addition, the District monitors the treatment process 24 hours a day. The District's water quality monitoring program includes many compounds or water quality parameters that are not regulated or harmful, such as Hardness, Alkalinity, Magnesium and many others. Knowledge of these parameters allows us to provide you with the best treatment available.

The table contains the name of each substance, the highest level allowed by regulation (MCL), the ideal goals for public health (MCLG/PHG), the range of samples detected from lowest to highest, and the usual sources of the constituent. To help you understand these tables, we have included definitions and notes on the following page.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA Safe Drinking Water Hotline.

USEPA Safe Drinking Water Hotline ▶ (800) 426-4791

Sodium



More information ▶ For more information about this report or the District's water quality monitoring program contact: James Derbin, Superintendent, at (650) 726-4405.

		MCL,	PHG,	Nunes WTP		Denniston WTP			
PARAMETER	Unit	(AL), or [MRDL]	(MCLG), or [MRDLG]	Average	Range	Average	Range	Typical \$	Sources*
SOURCE WATER SAMPLING									
INORGANIC CHEMICALS									
Aluminum	ppm	1	0.6	0.053	ND-0.288	ND	ND	3, 4	
Fluoride	ppm	2	1	0.379	0.27-0.5	0.23	0.15–0.3	3, 5	5, 6
Nitrate (NO ₃) as Nitrogen (N)	ppm	10	10	0.5	0.5	ND	ND	3, 18	8, 19
Turbidity	NTU	TTa	NA	0.023	0.015-0.07	0.028	0.019–0.15	2	2
DISINFECTION BYPRODUCT PRECURS	SOR								
Total Organic Carbon	ppm	TT	NA	1.1	0.9–2	1.7	1.0–3.2	{	3
DISTRIBUTION SYSTEM SAMPLII	NG							Typical 9	Sources*
DISINFECTION RESIDUAL				Average Range		ange			
Disinfectant Residual as Chlorine (Cl ₂)	ppm	[4] [4]		0.95		0.04–1.56		1	
DISINFECTION BYPRODUCTS				Highest LRAA		Range			
Total Haloacetic Acids (HAAs)	ppb	60	NA	33		10–45		7	
Total Trihalomethanes (THMs)	ppb	80	NA	63		17–100		7	
LEAD AND COPPER (2021 AT-THE-TAP SAMPLING)			90th percentile		Samples above AL				
Copper (35 Sample Sites) _b	ppm	(1.3) 0.3		0.086		0		3, 15, 16	
Lead (35 Sample Sites) _b	ppb	(15)	0.2	2.7		0		3, 15, 17	
SECONDARY DRINKING WATER STA	ANDARDS (AES	THETIC STAN	DARDS)						
PARAMETER	Unit	M	/ICL	Average	Range	Average	Range	Typical S	Sources*
Aluminum	ppb	200		53	ND-288	ND	ND	3, 4	
Chloride	ppm	500		16	10.9–27	47	42–50	9, 10, 12	
Copper, Free	ppb	1000		36	ND-469	ND	ND	3, 15, 16	
Manganese	ppb	50		4	ND-41	ND	ND	10	
Odor - Threshold	T.O.N.		3	1.25	ND-3	1.25	ND-3	1	
Silver	ppb	1	100	ND	ND-37	ND	ND	2	20
Specific Conductance	μS/cm	1600		184	115–317	391	358–412	12, 14	
Sulfate	ppm	500		21	17–25	24	12–35	9, 10, 13	
Total Dissolved Solids	ppm	1000		106	60–190	241	204–298	9, 10	
Zinc	ppm		5	12	ND-140	ND	ND	9, 10	0, 13
UNREGULATED PARAMETERS									
				Nunes WTP		Denniston WTP		Distribution System	
PARAMETER	Unit		NL	Average	Range	Average	Range	Average	Range
Boron	ppb	1	000	ND	ND	ND	ND	NA	NA
OTHER WATER QUALITY PARAMETE									
PARAMETER	Unit		MCL	Average	Range	Average	Range	Average	Range
Alkalinity	ppm		NS	39	12–99	94	64–107	NA	NA
Calcium	ppm		NS	15	4–42	27	24–30	NA	NA
Hardness (as Calcium Carbonate)	ppm	ı	NS	43	12–93	103	94–114	NA	NA
Magnesium pH	ppm no unit		NS NS	4 8	0.5–14 7.53–8.6	9.1 7.99	8.2–9.7 7.52–8.3	NA 8.51	NA 7.6–9.9

22

12-48

38

NS

ppm

NA

34-41

Reading the Water Quality Test Results Chart

Definitions of Key Terms

Maximum Contaminant Level (MCL). The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water. MCLs are established by USEPA and the State Water Board.

Maximum Contaminant Level Goal (MCLG).

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the USEPA.

Maximum Residual Disinfectant Level

(MRDL). The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG). The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Notification Level (NL). Notification levels are health-based advisory levels established by the State Water Board for chemicals in drinking water that lack MCLs. When chemicals are found at concentrations greater than their notification levels, certain requirements and recommendations apply.

Primary Drinking Water Standard (PDWS).

MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Public Health Goal (PHG). The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Regulatory Action Level (AL). The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Treatment Technique (TT). A required process intended to reduce the level of a contaminant in drinking water.

Total Organic Carbon (TOC). TOC has no health effects. However, TOC provides a medium for the formation of disinfection byproducts including trihalomethanes and haloacetic acids. Drinking water containing disinfection byproducts in excess of the MCL may lead to adverse health effects, liver or kidney problems, or nervous system effects, and may lead to an increased risk of cancer.

Turbidity. Turbidity has no health effects. It is a measure of the clarity of the water and is monitored because it is a good indicator of water quality and the effectiveness of a filtration system. The MCL for turbidity is based on the TT. For unfiltered water, the MCL is 5.0 NTU. For filtered water, the MCL is ≤0.3 NTU 95% of the

Waiver. State permission to decrease the monitoring frequency for a particular contaminant.

Abbreviations

DDW Division of Drinking Water

NA Not applicable ND Not detected

NS No standard established NTU Nephelometric turbidity unit

Parts per billion (micrograms per liter) ppb Parts per million (milligrams per liter) ppm MicroSiemens per centimeter µS/cm

LRAA Locational running annual average

rTCR Revised total coliform rule

SFPUC San Francisco Public Utilities Commission

TON Threshold odor number

USEPA United States Environmental Protection Agency

Table Notes

- For filtered water, the MCL is <0.3 NTU 95% of the time. This standard was met 100% of the time.
- In 2021, there were no requests for lead testing in schools.

* Typical Sources in Drinking Water

- Drinking water disinfectant added for treatment
- Soil runoff 2
- Erosion of natural deposits
- Residue from some surface water treatment processes
- 5 Water additive that promotes strong teeth
- 6 Discharge from fertilizer and aluminum factories
- 7 By-product of drinking water disinfection
- Various natural and man-made sources
- Runoff from natural deposits 9
- 10 Leaching from natural deposits
- Naturally occurring organic materials
- 12 Seawater influence
- 13 Industrial wastes
- Substances that form ions when in water
- Internal corrosion of household plumbing systems
- 16 Leaching from wood preservatives
- 17 Discharges from industrial manufacturers
- 18 Runoff and leaching from fertilizer use
- Leaching from septic tanks and sewage 19
- Industrial discharges

Health and Education Information

To ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the State Water Resources Control Board (State Water Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial Contaminants such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- **Inorganic Contaminants** such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and Herbicides that may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.
- Organic Chemical Contaminants including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application and septic systems.
- Radioactive Contaminants that can be naturally-occurring or be the result of oil and gas production and mining activities.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, such as persons with cancer undergoing chemotherapy; persons who have undergone organ transplants; people with HIV/AIDS or other immune system disorders; some elderly; and infants can be particularly at risk from infections. These people should seek advice from their health care providers.

USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the USEPA Safe Drinking Water Hotline.



Important Information about your **Water Quality**

Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home

> plumbing. The District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at: www.epa.gov/lead

Hardness

Water hardness is determined mainly by the presence of calcium and magnesium salts. Although hard water does not pose a health risk, it may be considered undesirable for other reasons. Some benefits of water softening are reductions in soap usage, longer life for water heaters and a decrease in encrustation of pipes. Some disadvantages of water softening are an increase in sodium intake (depending on type of water softener used), an increase in maintenance and servicing requirements and potential adverse effects on salt-sensitive plants and landscaping. To convert hardness from ppm to grains per gallon, divide by 17.1. A hardness scale is provided for your reference.

Hardness Classification	Grains per Gallon	mg/L or ppm		
Soft	less than 1.0	less than 17.1		
Slightly hard	1.0–3.5	17.1–60		
Moderately hard	3.5–7.0	60–120		
Hard	7.0–10.5	120–180		
Very hard	over 10.5	over 180		

Commemorating 75 Years of Serving the Community Safe and Reliable Drinking Water

Coastside County Water District will celebrate its 75th anniversary on July 19, 2022. The District was formed by a vote of the community with an elected Board of Directors in 1947. By 1949, the District purchased existing water facilities from Citizens Utilities Company. When first formed, the District served just 400 connections.

In the beginning, the District relied on water imported from Pilarcitos Reservoir and diversions (infiltration wells) on Pilarcitos Creek. In the 1970s, the District expanded their water sources with the Denniston Project. This project includes water from Denniston Creek and groundwater from the airport subbasin with treatment at the Denniston Water Treatment Plant. The Crystal Springs Project was completed in 1994 and allowed the District access to Upper Crystal Springs Reservoir with treatment at the Nunes Water Treatment Plant.

The District currently has approximately 8,000 connections, including fire services. Looking toward the future, the District is investing in water efficiency, water reuse, and new diversion facilities for San Vicente Creek.



WaterSmart 666





Coastside County Water District partners with WaterSmart Software to offer customers access to a free web portal. In the portal you can:



- · View hourly and daily water usage.
- Set up high usage alerts.
- Compare your water usage with similar homes in your neighborhood.

To register for the free web portal, go to the WaterSmart sign up page. Make sure you have your water account, email, and zip code.

https://coastsidewater.watersmart.com

Questions? email watersmart@coastsidewater.org or call (650) 726-4405.

Connect With Us!

The District encourages community participation in the decisions affecting drinking water. Regular Board meetings occur at 7:00 p.m. on the second Tuesday of each month in the District's Board Room at 766 Main Street, Half Moon Bay, CA 94019. Videos of past Board meetings are available at https://www. coastsidewater.org/board-activities/board-meeting-videos.html, and are also broadcast on Pacific Coast Television. See link for more information.



If you have any questions or desire additional information about this report or water quality, contact James Derbin, Superintendent, at (650) 276-0129.

To receive communications from the District about current events and news, sign up for our E-newsletter at www.coastsidewater.org

To communicate with Customer Service and Utility Billing (650) 726-4405 | customerservice@coastsidewater.org